

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(*6970978*).PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
L2	2	11/727451	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L3	1	11/437343	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L4	1	10/712902	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L5	175156	(*714"/\$ *702"/\$ *703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L6	12165	L5 and (simulat\$3 emulat\$3). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L7	121	L6 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L8	30	L7 and (compar\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L9	175156	(*714"/\$ *702"/\$ *703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L10	12165	L9 and (simulat\$3 emulat\$3). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L11	121	L10 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L12	31	L11 and (compar\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L13	175156	(*714"/\$ *702"/\$ *703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L14	12165	L13 and (simulat\$3 emulat \$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

L15	8560	L14 and (compar\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L16	3617	L14 and (compar\$5 with (simulat\$3 emulat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L17	2858	L16 and (test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat\$3 check43).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L18	1206	L16 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat\$3 check43) with (circuit device)).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L19	451	L18 and (vector\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L20	451	L19 and (@pd<"2003" or @ad<"199506060" or @prad<"19950606" or @rlad<"19950606")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L21	340	L19 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L22	286	L21 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L23	286	L21 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L24	114	L23 and (under near (test\$3 debug\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L25	1	("6611728").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
L26	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L27	43855	L26 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L28	8441	L27 and ((table list history database record) with input)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L29	6687	L28 and (compar\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

L30	792	L29 and ((creat\$3 generat\$3) with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L31	572	L30 and ((test\$3 debug\$4 diagn\$4 determin\$4 analyz\$3 verif\$7 examin\$4 investigat\$3 check\$3) with (circuit device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L32	1692	L28 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L33	263	L31 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L34	195	L33 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @riad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L35	110	L34 and (error\$1 fault\$3 defect\$3 fail\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L36	20060	(table\$1 list\$1 history database) with (input\$1 vector\$1) and compar\$4 with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L37	57	L36 and (compar\$3 with (input\$1 vector) with (list database table history) with updat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L38	12	L37 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L39	7	L38 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @riad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L40	50	L37 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L41	24	L40 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @riad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L42	14513	(detect\$3 monitor\$3 check\$3 examin\$4 determin\$4 verif\$7 analyz\$3 inspect\$3 investigat\$3 survey\$3 scrutin\$5) with input with (circuit agent device) and (creat\$3 generat\$3 design\$3 produc\$3) with input with (table list database history record)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

L43	2155	L42 and (expect\$5 with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L44	1207	L43 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L45	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cols.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L46	287	L44 and L45	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L47	229	L46 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L48	204	L47 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L49	121	L48 and (vector with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L50	120	L49 and (error fault\$3 defect \$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L51	118	L50 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat\$3 check\$3) with (circuit device agent))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L52	91	L51 and (compar\$4 match\$3 equal\$3) with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L53	47	L52 and ((simulat\$3 emulat\$3 debug\$4) with (device circuit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L54	4392	(creat\$3 generat\$3 produc \$3) with netlist\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L55	49	L54 and ((updat\$3 add\$3) with netlist with (compar\$4 match found))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L56	38	L55 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L57	16	L56 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

L58	4	L54 and ((error fault\$3 defect \$3 fail\$4) with (truth\$1 near1 table))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L59	3	L58 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @riad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L60	43855	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds. and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L61	1	("5,051938").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
L62	780	L60 and (truth\$1 near1 table)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L63	4	L60 and (compar\$5 with (truth\$1 near1 table) with (error fault\$3 defect\$3 fail \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
L64	1	("7,461213").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
S1	1	("6970978").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/15 13:50
S2	1	11/727451	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/15 13:55
S3	1	11/437343	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 09:32
S4	0	10/712902	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 09:35
S5	165978	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:51
S6	11384	S5 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:54
S7	113	S6 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:56
S8	29	S7 and (compar\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:57

S9	165978	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S10	11384	S9 and (simulat\$3 emulat\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S11	113	S10 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S12	30	S11 and (compar\$4).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S13	165978	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:39
S14	11384	S13 and (simulat\$3 emulat\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:39
S15	8017	S14 and (compar\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:39
S16	3401	S14 and (compar\$5 with (simulat\$3 emulat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:46
S17	2690	S16 and (test\$3 debug\$4 diagno\$4 determin\$4 analyz\$3 verif\$7 examin\$4 investigat\$3 check43).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:47
S18	1152	S16 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz\$3 verif\$7 examin\$4 investigat\$3 check43) with (circuit device)).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:48
S19	436	S18 and (vector\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:50
S20	436	S19 and (@pd<"2003" or @ad<"199506060" or @prad<"19950606" or @rlad<"19950606")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:56
S21	337	S19 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:57
S22	283	S21 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:58
S23	283	S21 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 14:00

S25	111	S23 and (under near (test\$3 debug\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 14:47
S26	1	("6611728").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/18 17:35
S30	166142	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:01
S31	41397	S30 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:01
S32	7970	S31 and ((table list history database record) with input)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:03
S33	6306	S32 and (compar\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:04
S34	743	S33 and ((creat\$3 generat \$3) with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:05
S35	539	S34 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat\$3 check\$4) with (circuit device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:05
S36	1607	S32 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:07
S37	253	S35 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:07
S38	191	S37 and (@pd< "20031112" or @ad< "20031112" or @prad< "20031112" or @rlad< "20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:07
S39	108	S38 and (error\$1 fault\$3 defect\$3 fail\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:08
S40	19053	(table\$1 list\$1 history database) with (input\$1 vector\$1) and compar\$4 with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:16
S41	55	S40 and (compar\$3 with (input\$1 vector) with (list database table history) with updat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:18
S42	12	S41 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:19

S43	7	S42 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:19
S44	49	S41 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:26
S45	24	S44 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:26
S47	13598	(detect\$3 monitor\$3 check\$3 examin\$4 determin\$4 verif\$7 analyz\$3 inspect\$3 investigat\$3 survey\$3 scrutin\$5) with input with (circuit agent device) and (creat\$3 generat\$3 design\$3 produc\$3) with input with (table list database history record)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:36
S48	2028	S47 and (expect\$5 with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:38
S49	1149	S48 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:39
S50	166142	("714"/\$ "702"/\$ "703"/\$ "711"/\$).cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:39
S51	275	S49 and S50	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:39
S52	226	S51 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:40
S53	201	S52 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:41
S54	120	S53 and (vector with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:41
S56	119	S54 and (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:42
S57	117	S56 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz\$3 verif\$7 examin\$4 investigat\$3 check\$3) with (circuit device agent))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:43

S58	90	S57 and (compar\$4 match\$3 equal\$3) with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:44
S59	46	S58 and ((simulat\$3 emulat\$3 debug\$4) with (device circuit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:48
S60	4115	(creat\$3 generat\$3 produc\$3) with netlist\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:07
S61	44	S60 and ((updat\$3 add\$3) with netlist with (compar\$4 match found))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:07
S62	35	S61 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:11
S63	16	S62 and (@pd< "20031112" or @ad< "20031112" or @prad< "20031112" or @rlad< "20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:12
S64	4	S60 and ((error fault\$3 defect\$3 fail\$4) with (truth\$1 near1 table))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:24
S65	3	S64 and (@pd< "20031112" or @ad< "20031112" or @prad< "20031112" or @rlad< "20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:25
S66	41397	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls. and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 12:45
S67	1	("5,051938").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/20 12:46
S68	760	S66 and (truth\$1 near1 table)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 12:48
S69	4	S66 and (compar\$5 with (truth\$1 near1 table) with (error fault\$3 defect\$3 fail\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 12:48
S70	1	("7,461213").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/20 18:27

11/ 23/ 2009 2:08:12 PM

C:\Documents and Settings\gmerant\My Documents\EAST\Workspaces\10_712_902_2.wsp